University of Jordan
King Abdullah School of Information Technology
Department of Computer Science
Computer Skills II (Scientific Faculties) / Midterm Exam

Student Name: Section No.:

Student ID: Instructor.:

Note: Answer question 1 here.

	Syntax Error	Correction
1	namespace std ;	using namespace std ;
2	Void main ();	void main ()
3	Char z;	char z;
4	if a>=b	if (a>=b)
5	for(int i=0;i<5;++)	for(int i=0;i<5;i++)
6	cin>>number	cin>>number ;
7	Else	else
8	<<number<<" Is Odd"endl;	<<number<<" Is Odd"<<endl;
9	return 0;	It should be removed because of **void main()**
10	No end for main function	Place } at the end of main function

Q1: Find and correct syntax error(s) in the following program. (10 points)

```cpp
#include <iostream>
namespace std ;
void main ();
{
    int a,b,max;
    int number,x;
    double av;
    Char z;

    cout<<"Enter Two Integer Number:";
    cin>>a>>b;

    if a>=b
       max=a;
    else
       max=b;

    cout<<"Max="<<max<<endl;
    for(int i=0;i<5;++)
    {
        cout<<"Enter Integer Number:";
        cin>>number
        if(number%2==0)
                cout<<"Number "<<number<<" Is Even"<<endl;
        Else
                cout<<"Number "<<number<<" Is Odd"endl;
    }
     return 0;
```

Q2: What is the Output of the following Code Segments? (10 points)	
| ```cpp
void main()
{
    int z , y; double x;
    string str = "";
    char var;

    cin>>z>>x;
    cin.get(var);
    cin>>y;
    getline(cin,str);

    x += (str != "Computer" ? 100 : 10);
    cout<<"x  is:"<<x<<"\n"<<"y is:"<<y<<"\n"
        <<"z  is:"<<z<<"\n"<<"w is:"<<var<<"\n"
         <<"str  is:"<<str<<"\n";
}
``` | **Assume the input as follows:**<br><br>34  2.4  19<br>Computer<br><br>**Stored Value For Each Variable**<br><br>x  =  102.4<br>y  =  19<br>z  =  34<br>w  =  space<br>str  =  Empty String |
| ```cpp
void main()
{
    int x = 18 , y = 7 ;
    cout<<y<<"  "<<x--<<'\n';
    while( x  > 12 )
    {
        switch( x ) {
            case 17:
                y++;
            case 14:
                cout<<(y % 5)<<"  ";
            case 12:
                cout<<--x<<"  ";
                break;
            default:
                y += x/2;
                break;
        }
        cout<<x<<"\n";
        x -= 5;  }
}
``` | **Output**<br><br>7  18<br>3  16  16 |

- ٣ -

Q3: Write a C++ code to read a group of integer values and calculate the average of only even ones. The input should terminate at the time of input for a negative integer.   (5 points)

#include<iostream>

using namespace std;

void main()

{

#include<iostream>

using namespace std;

void main()

{

```
    int val, counter = 0;
    double sum = 0 , avg;
```
➜ **1 mark**

```
    cout<<"Enter a value: ";
    cin>>val;
```
➜ **1 mark**

```
    while(val >= 0)
```
➜ **1 mark**

```
    {
        if(val%2 == 0){
            sum += val;
            counter++;
        }
```
➜ **1 mark**

```
        cout<<"Enter a value: ";
        cin>>val;
```
➜ **1 mark**

```
    }
    if(counter != 0)
    {   avg = sum / counter;
        cout<<avg<<'\n';
```
➜ **1 mark**

```
    }}
```

Q4: Write a C++ code to input an integer value (assume its name is N) and calculate the summation for the first N terms of the following series: (Note: Don't use Pow function in your solution)   (5 points)

$$1 \quad + \quad \frac{1}{2} \quad + \quad \frac{1}{4} \quad + \quad \frac{1}{8} \quad + \quad \frac{1}{16} \quad + \quad ....$$

#include<iostream>

using namespace std;

void main()

{

    double sum = 0;

    int N, x = 1;   ➔**1 mark**

    cout<<"Enter Number of terms:";

    cin>>N;   ➔**1 mark**

    for(int i = 1; i <= N ; i++)   ➔**1 mark**

    {

        sum += 1 / x;

        x *= 2;   ➔**1 mark**

    }

    cout<<sum<<'\n';   ➔**1 mark**

}